First of four pages

Total 2001 Population
Population per square mile 70 Staffing - FTE Number Popul County ranking in state (1-72) 25 Clients Costs Total staff 16
I COP 99 \$225.681 Administrative 3
Age
0-14
25-29
45-54
55-64
55-64
* Waiver costs reported here Tourist Rooming 195 Age Female Male Total include federal funding. Pools
18-44
65+ 4,850 3,850 8,710 Waiting 179 n/a Total
(Family Care not provided in county) WIC PARTICIPANTS Poverty Estimates for 2000
Estimate (C.I.+/-) Note: Eligible and waiting clients Pregnant/Postpartum 6.8% (5%) Will be phased into the COP and MA Infants Ages 0-17
Ages 0-17
EMPLOYMENT CANCER INCIDENCE Average wage for jobs covered Home Health Agencies 3
by unemployment compensation \$25,755 Patients
Labor Force Estimates
Civilian Labor Force 26,695 Occupancy rate 92.9% Trachea, Bronchus, Lung Number employed 25,373 Residents on Dec.31 1,375 Prostate Number unemployed 1,322 Residents age 65 or older Other sites Unemployment rate 5.0% per 1,000 population ** Total
Unemployment rate 5.0% per 1,000 population ** Total

			NATA	LITY				
TOTAL LIVE BIRTHS Crude Live Birth Rate		602 11.5	Birth Order First Second		Percent 39 33	Marital Status of Mother Married	Births 429	Percent 71
General Fertility Rat	e	59.1	Third Fourth or higher	101 68	17 11	Not married Unknown		29 0
Live births with repo congenital anomalies	orted 1	.0 1.7%	5	0	Θ	Education	Dintha	Donasant
Delivery Type Vaginal after	Births	Percent	First Prenatal Visit 1st trimester	Births 492	0.7	of Mother Elementary or le Some high school		Percent 2 13
previous cesarean Forceps	21 8	1	2nd trimester 3rd trimester	88 18	15 3	High school Some college	262 147	44 24
Other vaginal Primary cesarean Repeat cesarean	67	76 11	2nd trimester 3rd trimester No visits Unknown	3 1	<.5 <.5	College graduate Unknown	102 1	17 <.5
Other or unknown	46 0	8 0	Number of Prenatal		Percent	Smoking Status of Mother	Births	Percent
Birthweight <1,500 gm	Births 5	Percent 0.8	No visits 1-4	3 17	< . 5 3	Nonsmoker	473	21 79
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	33 564 0	5.5 93.7 0	5-9 10-12 13+ Unknown	134 307 141	22 51 23	Unknown	Θ	Θ
			13+ Unknown Low Birthweight (under 2,500 gm) Births Percent 37 6.3 * 1 10.0		Trimest	 er of First Prenata	 l Visit	
Race of Mother White	Births P 589	Percent 98	(under 2,500 gm) Births Percent 37 6.3	1st Tr Births 483	imester Percent 82	2nd Trimester Births Percent 85, 14	Other Births 21	'Unknown Percent 4
Black Other Unknown	10 0	< . 5 2 0	*	* 6 ·	60	* 3 30 	1	10
Age of Mother	Fe Births	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent	1st Tr	Trimest imester Percent	er of First Prenata 2nd Trimester	l Visit Other	′Unknown Percent
<15 15-17 18-19	0 13 40	11 66	. 7.7 2 5.0	9 22	69 55		7	18
20-24 25-29 30-34 35-39 40+	182 161 138 57 11	153 120 83 28 5	12 6.6 10 6.2 10 7.2 3 5.3	134 140 128 50 9	74 87 93 88 82	42 23 18 11 7 5 5 9 1 9	6 3 3 2 1	3 2 2 4 9
Unknown Teenage Births	0 53	 29	 * Not	reported	: age or r		ss than 5	births

MORBIDITY			MO F	RTALITY				
	Note: Death rates (except infant) are per 100,000 population. Infant,							
	neonatal, and postneonatal death rates are per 1,000 live births.							
REPORTED* CASES OF SELECTED DISEASES	Perinatal and fetal death rates are per 1,000 live births plus							
I KELOKIED CASES OF SEEECIED DISEASES	fotal deaths	Dotor	each rates	culated for fewer than i	13 plus	ļ		
	i retat deaths	. Rates a	are not car	cutated for lewer than .	w deaths.	!		
1	!					ļ		
Disease Number	j TOTAL DEATHS		684	Selected				
Campylobacter Enteritis 13	Crude Death Ra	ate	1,307	Underlying Cause	Deaths	Rate		
Giardiasis 5	İ			Heart Disease (total)	203	388 i		
Hepatitis Type A 0	İ			Ischemic heart disea:		310 İ		
Hepatitis Type B** <5	Age	Deaths	Rate	Cancer (total)	139	266		
Hepatitis NANB/C <5	i 1-4	1		Trachea/Bronchus/Lun		61 i		
Legionnaire's 0	j 5-14	_	•			01		
Lyme 7	15-19	5	•	Colorectal Female Breast	7	· *		
Lyme /	15-19	5	•	remate breast		• 1		
Measles 0	20-34	9	264	Cerebrovascular Diseas	se 56	107		
Meningitis, Aseptic <5	j 35-54	41	264	Lower Resp. Disease Pneumonia & Influenza	48	92 j		
Meningitis, Bacterial <5	55-64	9 41 54	1,128	Pneumonia & Influenza	14	.		
Mumps 0	65-74	118	2.913	Accidents	31	59		
Pertussis 0	65-74 75-84	217	6,588	Motor vehicle	13	. 1		
Salmonellosis 7	i 85+	234	17,141	l Diabetes	17	. i		
Shigellosis 0	i		,	Infectious & Parasiti	- 11	i		
Tuberculosis 0	i			Suicide	8	!		
1	Infant			I sarerae	· ·	. !		
* 2001 provisional data	Mortality Total Infant Neonatal Postneonatal Unknown	Doathe	Rate	 * Rate for female brea	act cancor	hacad I		
1** Includes all positive UDsAs	Total Infant	Deatiis	Nate			Daseu j		
** Includes all positive HBsAg	IOLAL IIIIAIIL	2	•	on female popula	at ion.	!		
test results	l Meonatar	4	•	I ALCOHOL AND DRUG ABUS				
	l Postneonatal	1	•	ALCOHOL AND DRUG ABUS				
	Unknown	•	•	OR CONTRIBUTING CA	JSE OF DEAT	Н [
Sexually Transmitted Disease								
Chlamydia Trachomatis 29	Race of Mother			Alcohol	11	.		
Genital Herpes 9	White	5		Other Drugs	18	.		
j Gonorrhea 5	i Black			Alcohol Other Drugs Both Mentioned	1	. i		
Syphilis 0	l Other			İ		i		
1	Unknown	•	•	MOTOR VEHIC	F CRASHES	i		
	I STIKITOMIT	•	•	I HOTOR VEHICE	LE CIVISIILS			
	l L Birthweight			 Note: These data are based on location				
IMMUNIZATIONS	I /1 FOO am	2						
INMUNIZATIONS	\1,500 giii	2	•	of crash, not	on restuence	٠. إ		
	1,500-2,499 gm	2	•	T 5 M				
Children in Grades K-12 by	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	1	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	rersons P	ersons		
Compliance Level	Unknown	•	•	Vehicle Crash	Injured	Killed		
Compliant 10,910				Total Crashes	515	21		
Non-compliant 64	İ			Alcohol-Related	76	10		
Compliant 10,910 Non-compliant 64 Percent Compliant 99.4	Perinatal			With Citation:		j		
	i Mortality	Deaths	Rate		1/	o i		
	Total Perinatal	7		For Speeding	26	ŏ i		
	Total Perinatal Neonatal Fetal	, 1	•	For Speeding Motorcyclist Bicyclist	20	ŏ¦		
	Fotal	2	•	Ricyclist	12	0 1		
	l letat	3	•	Pedestrian	10	1 1		
l	<u> </u>			I CUCS LI I dil	T A	т		

		 Per	Average		Charge	ALIZATIONS I		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1 000	Stay	Average	
AGE GROUP	Number	Pop		Charge	Capita	DISEASE / AGE GROUP	Number	Pop	(Days)		Capita
AGE GROOT	Number	ТОР	(Days)	Cilai gc	Сартса	I AGE GROOT	Number	ТОР	(Days)	Cital Sc	Сартса
Injury-Related	I: All					Alcohol-Relate	ed				
Total	487	9.3	4.1	\$10,903	\$101	i Total	116	2.2	4.2	\$3,440	\$8
<18	44	3.3	3.2	\$12,597	\$41	i 18-44	56	3.1	4.2	\$2,464	\$8
18-44	101	5.5		\$10,596	\$59	45-64	48	4.0		\$3,716	\$15
45-64	82	6.9	4 6	\$12,537	\$87	Pneumonia and			3.0	45,710	4-5
65+	260	29.9		\$10,221	\$305	Total	247	4.7	4.3	\$7,127	\$34
Injury: Hip		23.3	7.2	¥10,221	4303	i 410		2.4	1.9	\$2,483	\$6
Total	111	2.1	1 1	\$10,655	\$23	<18 45-64	12	3.5	4.7	\$8,647	\$31
65+	105	12.1		\$10,633	\$128	l 65+	157	18.0	4.7	\$7,690	\$139
		12.1	4.4	\$10,5//	\$120			10.0	4.0	\$7,690	\$133
Injury: Pois	onings	۰	1 4	# 3 F00	# >	Cerebrovascula	ir Disease	2 5	4.0	¢10 310	# 2.6
Total	24	0.5	1.4	\$3,598	\$2	Total	183	3.5		\$10,318	\$36
18-44	17	•	•	•	•	45-64	36	3.0		\$16,480	\$50
						65+	143	16.4	3.7	\$8,773	\$144
Psychiatric						Chronic Obstru		ionary l			
Total	307	5.9	8.5	\$6,355	\$37	j Total	102	1.9	2.6	\$4,334	\$8
<18	75	5.6	10.8	\$7,902	\$44	<18	10				
18-44	114 49	6.2	6.8	\$5,112	\$32	18-44 45-64 65+ Drug-Related	14			•	•
45-64	49	4.1	9.1	\$7,082	\$29	j 45-64	20	1.7	2.6	\$4,687	\$8
65+	69	7.9	8.3	\$6,212	\$49	i 65+	58	6.7		\$4,279	\$28
				, ,	, -	Drug-Related				, , -	•
Coronary Heart	Disease					Total	22	0.4	10.0	\$6,882	\$3
Total	316	6.0	3 3	\$15,605	\$94	18-44	11			\$0,002	
45-64	79	6.7		\$19,959	\$133	1 10 44 1		•	•	•	•
65+	226	25.9		\$14,337	\$372	ı Total Hospital	izations				
051	220	23.3	3.4	\$14,337	\$37Z	Total		1116	2 0	\$8,078	\$926
Malignant Noon	lacme (Ca	ncorc).	A11				953	114.6 71.1	3.8 3.3	\$4,276	\$304
Malignant Neop	Lasiis (Ca	10015).	ALL	¢14 F70	¢71			71.1			
Total	256	4.9	5.9	\$14,579	\$71	18-44	1,298		3.3	\$5,875	\$418
18-44	16	٠. ،	٠.	*10 173	*440	i 45-64 I 65+	1,084	91.4		\$10,627	\$972
45-64	72	6.1	6.6	\$18,172	\$110	ļ 65+	2,665	306.0	4.1	\$9,474	\$2,899
65+	166	19.1		\$12,037	\$229	_					
Neoplasms: F				female p		j Р					
Total	28	1.1	1.5	\$6,912	\$7	j Total	846	16.2	3.4	\$5,951	\$96
Neoplasms: C		1				j <18	85	6.3	1.8	\$2,829	\$18
Total	37	0.7	7.8	\$16,312	\$12	18-44	80	4.4		\$5,069	\$22
65+	29	3.3	7.4	\$15,529	\$52	45-64	144	12.1	4.2	\$7,783	\$95
Neoplasms: L	.ung			*	•	18-44 45-64 65+	537	61.7		\$6,086	\$375
Total	22	0.4	5.2	\$11,391	\$5	* Hospitalization	is for cond				
10001		.	5.2	+11,551	42	ambulatory care of					
Diabetes						The definition of	nreventah	le hoce	nitalizat	tions in	2001
Total	68	1.3	4.7	\$9,194	\$12	is consistent wi				. 10113 111 4	2001
65+	30	3.4	4.7	\$9,328	\$32	Please refer to t				thic nag	a in the
05⊤	30	3.4	4./	\$3,320	\$3 2	110050 0101 10 1007 report for	an avalasa	tion of	f the ch	tills page	hotuses
						1997 report for	an explana	LIOII O	i the cha	ange made	nerween
						1996 and 1997.					